We recommend that you:		Examples:	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day
	Date	6 / 22	/	/	/	/	/	/	
Take your temperature (temp)	Take your temperature before eating every morning.								
Weigh yourself	Weigh yourself every morning before eating and after going to the bathroom.								
Take blood pressure (BP)	Take your pulse and blood pressure daily, or ask the visiting nurse to write it down for you.								
Exercises	See the " <i>Exercises</i> " chapter in your booklet	 Image: A start of the start of							
Incision care	Clean incision daily with soap and water. Do not use any creams, lotions or powders on your incisions. NO tub baths ever.	 Image: A start of the start of							
Elevate your legs	Elevate your legs while sitting.	1							
Driveline dressing	Change driveline dressing daily following written instructions.	1							
Walk	Increase time you walk every day. Don't worry about distance. Walking to the bathroom does not count! Walking up and down stairs is encouraged.	Time: 20 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time
		Time: 21 minutes	Time:						
		Time: 22 minutes	Time:						
		Time: 24 minutes	Time:						
Use Incentive Spirometer 4	See the page on Incentive Spirometer in	1: 🗸	1:	1:	1:	1:	1:	1:	1:
times each day	your booklet. Use incentive spirometer during TV commercials.	2:	2:	2:	2:	2:	2:	2:	2:
		3: 🗸	3:	3:	3:	3:	3:	3:	3:
		4:	4:	4:	4:	4:	4:	4:	4:
Take pain medication (if still taking)	Take pain medication as directed by your surgeon for the f rst few days. Begin to reduce your pain meds after 4 or 5 days as tolerated. (Decrease the number of pills or increase the time between pills.)	✓							
Avoid constipation	Take stool softener or laxative while taking pain medications. Increase activity. Eat more fruits and vegetables.	 ✓ 							
Take your medication	Take medication as directed by your surgeon	√							





Who do I call?

If you are experiencing an emergent alarm or emergency situation, call the VAD emergency number at

734-477-6722

If you have a non-emergency question please call the Frankel Cardiovascular Call Center at

We recommend that you:		Examples:	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day
	Date:	6/22	/	/	/	/	/	/	
Take your temperature (temp)	Take your temperature before eating every morning.	I							
Weigh yourself	Weigh yourself every morning before eating and after going to the bathroom.								
Take blood pressure (BP)	Take your pulse and blood pressure daily, or ask the visiting nurse to write it down for you.								
Exercises	See the "Exercises" chapter in your booklet	 Image: A start of the start of							
Incision care	Clean incision daily with soap and water. Do not use any creams, lotions or powders on your incisions. NO tub baths ever.	 Image: A start of the start of							
Elevate your legs	Elevate your legs while sitting.	1							
Driveline dressing	Change driveline dressing daily following written instructions.	1							
Walk	Increase time you walk every day. Don't worry about distance. Walking to the bathroom does not count! Walking up and down stairs is encouraged.	Time: 20 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
		Time: 21 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
		Time: 22 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
		Time: 24 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
Use Incentive Spirometer 4	See the page on Incentive Spirometer in	1: 🗸	1:	1:	1:	1:	1:	1:	1:
times each day	your booklet. Use incentive spirometer during TV commercials.	2:	2:	2:	2:	2:	2:	2:	2:
		3:	3:	3:	3:	3:	3:	3:	3:
		4:	4:	4:	4:	4:	4:	4:	4:
Take pain medication (if still taking)	Take pain medication as directed by your surgeon for the f rst few days. Begin to reduce your pain meds after 4 or 5 days as tolerated. (Decrease the number of pills or increase the time between pills.)	•							
Avoid constipation	Take stool softener or laxative while taking pain medications. Increase activity. Eat more fruits and vegetables.	 Image: A start of the start of							
Take your medication	Take medication as directed by your surgeon	 Image: A set of the set of the							





Who do I call?

If you are experiencing an emergent alarm or emergency situation, call the VAD emergency number at

734-477-6722

If you have a non-emergency question please call the Frankel Cardiovascular Call Center at

We recommend that you:		Examples:	Day 15	Day 16	Day 17	Day 18	Day 19	Day 20	Day
	Date:	6 / 22	/	/	/	/	/	/	
Take your temperature (temp)	Take your temperature before eating every morning.	✓							
Weigh yourself	Weigh yourself every morning before eating and after going to the bathroom.								
Take blood pressure (BP)	Take your pulse and blood pressure daily, or ask the visiting nurse to write it down for you.								
Exercises	See the " <i>Exercises</i> " chapter in your booklet	√							
Incision care	Clean incision daily with soap and water. Do not use any creams, lotions or powders on your incisions. NO tub baths ever.	 Image: A start of the start of							
Elevate your legs	Elevate your legs while sitting.	 Image: A start of the start of							
Driveline dressing	Change driveline dressing daily following written instructions.	1							
Walk	Increase time you walk every day. Don't worry about distance. Walking to the bathroom does not count! Walking up and down stairs is encouraged.	Time: 20 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
		Time: 21 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
		Time: 22 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
		Time: 24 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time:
Use Incentive Spirometer 4	See the page on Incentive Spirometer in	1: 🗸	1:	1:	1:	1:	1:	1:	1:
times each day	your booklet. Use incentive spirometer during TV commercials.	2:	2:	2:	2:	2:	2:	2:	2:
		3:	3:	3:	3:	3:	3:	3:	3:
		4:	4:	4:	4:	4:	4:	4:	4:
Take pain medication (if still taking)	Take pain medication as directed by your surgeon for the f rst few days. Begin to reduce your pain meds after 4 or 5 days as tolerated. (Decrease the number of pills or increase the time between pills.)	✓							
Avoid constipation	Take stool softener or laxative while taking pain medications. Increase activity. Eat more fruits and vegetables.	√							
Take your medication	Take medication as directed by your surgeon	√							





Who do I call?

If you are experiencing an emergent alarm or emergency situation, call the VAD emergency number at

734-477-6722

If you have a non-emergency question please call the Frankel Cardiovascular Call Center at

We recommend that you:		Examples:	Day 22	Day 23	Day 24	Day 25	Day 25	Day 26	Day		
	Date:	6/22	/	/	/	/	/	/			
Take your temperature (temp)	Take your temperature before eating every morning.	I									
Weigh yourself	Weigh yourself every morning before eating and after going to the bathroom.										
Take blood pressure (BP)	Take your pulse and blood pressure daily, or ask the visiting nurse to write it down for you.										
Exercises	See the " <i>Exercises</i> " chapter in your booklet	 Image: A start of the start of									
Incision care	Clean incision daily with soap and water. Do not use any creams, lotions or powders on your incisions. NO tub baths ever.	 Image: A start of the start of									
Elevate your legs	Elevate your legs while sitting.	1									
Driveline dressing	Change driveline dressing daily following written instructions.	1									
Walk	Increase time you walk every day. Don't worry about distance. Walking to the bathroom does not count! Walking up and down stairs is encouraged.	Time: 20 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time		
		Time: 21 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time		
		Time: 22 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time		
		Time: 24 minutes	Time:	Time:	Time:	Time:	Time:	Time:	Time		
Use Incentive Spirometer 4	See the page on Incentive Spirometer in	1: 🗸	1:	1:	1:	1:	1:	1:	1:		
times each day	your booklet. Use incentive spirometer during TV commercials.	2:	2:	2:	2:	2:	2:	2:	2:		
		3:	3:	3:	3:	3:	3:	3:	3:		
		4:	4:	4:	4:	4:	4:	4:	4:		
Take pain medication (if still taking)	Take pain medication as directed by your surgeon for the f rst few days. Begin to reduce your pain meds after 4 or 5 days as tolerated. (Decrease the number of pills or increase the time between pills.)	 Image: A second s									
Avoid constipation	Take stool softener or laxative while taking pain medications. Increase activity. Eat more fruits and vegetables.	 Image: A start of the start of									
Take your medication	Take medication as directed by your surgeon	1									





Who do I call?

If you are experiencing an emergent alarm or emergency situation, call the VAD emergency number at

734-477-6722

If you have a non-emergency question please call the Frankel Cardiovascular Call Center at