



Suppositories

Suppositories are medications that are inserted into the rectum (rectal **suppository**) or vagina (vaginal **suppository**). The suppository dissolves or melts and is absorbed into the blood stream. Most suppositories are “over the counter” which means you can get them without a prescription.

How do I use a suppository?

1. Wash your hands thoroughly and wear a latex glove.
2. Lie down on your left side in a comfortable position with your left leg flat and your right leg bent with your knee in the air.
3. Try to relax, don't let yourself get stressed or anxious.
4. Remove the wrapper from the suppository and lubricate the pointed end. You can use water, K-Y® jelly, olive oil or any other lubricant.
5. Gently and slowly push the pointed end of the suppository into the rectum about one (1) inch. From the tip of your index finger to your first knuckle is about an inch.
6. Remove your finger but remain in the same position for a few minutes so that the suppository has time to absorb. Don't stand up. Avoid having a bowel movement for an hour or longer so the medicine can be absorbed.
7. Wash your hands.



Disclaimer: This document contains information and/or instructional materials developed by Michigan Medicine for the typical patient with your condition. It may include links to online content that was not created by Michigan Medicine and for which Michigan Medicine does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Terri O'Neill RN, BSN
Reviewers: Betty Hmay RN, BSN

Patient Education by [Michigan Medicine](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International Public License](#). Last Revised 12/2019