

Refer to this instruction sheet for the entire week before your colonoscopy. Colonoscopy prep instructions are extremely important for a successful colonoscopy. If you do not follow the instructions precisely, your bowels may not be ready for the procedure and you will need to repeat the procedure.

Planning for Your Colonoscopy

Please read as soon as you receive this information and check off each box to indicate that you understand each item.

- You must do a bowel prep.** If you have not received a bowel prep, call the Endoscopy Call Center at (734) 936 - 9250 or toll-free at (877) 758 - 2626.

- What is the name of your prep?** _____
 - We recommend that you fill your prescription at least a week before your procedure.

- You must have a driver with you at the procedure.**
 - A licensed driver must be with you at your colonoscopy appointment. If you do not have a driver with you at check in, we will reschedule your appointment.
 - Your entire procedure may take 3 to 4 hours to complete. Please tell your driver that they must remain at the colonoscopy appointment during your entire visit.

- If you have diabetes you must call your doctor**
 - People with diabetes have special diet and medicine instructions. Call the doctor who ordered your colonoscopy for your special diet and medicine instructions.

- If you need to reschedule**
 - Call (734) 936 - 9250 or toll-free (877) 758 - 2626.

What supplies do I need to prepare in advance?

Obtain the following supplies at your local pharmacy:

- Two Dulcolax® (bisacodyl) (laxative tablets – each tablet contains 5 mg of bisacodyl (do **not** get Dulcolax stool softener).
- One bottle of Miralax® (8.3 ounces or 238 grams each)
- Two bottles of clear liquid (32 ounces each) (**not** red): Gatorade®, G2®, Gatorade Ice®, Powerade®, or Powerade Zero®.

Timeline of the Colonoscopy Preparation

How will I determine my colonoscopy prep schedule?

The timeline table below will help you determine which day of the week to start your preparation. Use a highlighter or circle the correct row to determine which day you will start the prep. **The prep process will begin at the start of the day.**

If you reschedule your appointment, you **must** redo the timeline table to match your new date.

My Appointment Is: _____

(Date, Day, Time)

Timeline Table

My Appointment is on a:	7 days before my appointment is a:	3 days before my appointment is a:	1 day before my appointment is a:
Monday	Monday	Friday	Sunday
Tuesday	Tuesday	Saturday	Monday
Wednesday	Wednesday	Sunday	Tuesday
Thursday	Thursday	Monday	Wednesday
Friday	Friday	Tuesday	Thursday

7 days before your colonoscopy

Day: _____

Fill in the day according to the timeline table

- **Do not** stop your aspirin.
- If you take a blood thinner, tell the doctor who ordered your colonoscopy. If you are unsure that you are taking blood thinners, please contact your doctor.
- Stop taking any iron supplements, such as ferrous sulfate or polysaccharide iron complex.

3 days before your colonoscopy Day: _____
 Fill in the day according to the timeline table

- Stop eating popcorn, corn, beans, nuts, fruits with small seeds, tomatoes and celery.

The day before your colonoscopy Day: _____
 Fill in the day according to the timeline table

- **No solid food from now until your procedure is done.** Begin a clear liquid diet (below). Drink at least 8 glasses of water or clear liquids during the day to avoid dehydration.
- At 12 noon, take 2 Dulcolax tablets. Mix 64 ounces of liquid with 8.3 ounces Miralax and place in the refrigerator (do not add ice).
- Between 5 and 6 pm, drink one 8-ounce glass of the Miralax/Gatorade solution and continue drinking one 8 ounce glass every 15 minutes thereafter until half the mixture (32 ounces) is gone. Set a timer for every 15 minutes to keep pace.
- Stay near a toilet, as you will have diarrhea.

<p>You may drink these clear liquids:</p> <ul style="list-style-type: none"> • Gatorade, Crystal Light Lemonade®, Pedialyte® or Powerade® • Coffee or tea (black only) • Carbonated or non-carbonated soda • Fruit-flavored drinks • Apple juice, white cranberry juice or white grape juice • Jell-O or popsicles 	<p>Do not drink these liquids:</p> <ul style="list-style-type: none"> • Chicken, beef or vegetable broth • Alcohol • Milk or non-dairy creamer • Juice with pulp • Any liquid you cannot see through • Hard candy <p>Note: Nothing Red or Purple</p>
---	--

The day of your colonoscopy

5 hours before leaving home for your colonoscopy

Day/Time: _____
 Fill in the day according to the timeline table

- You may have to wake up early.

- Drink the final liter (32 ounces) of prep solution 5 hours before you need to leave for your procedure.
- Take your morning medications with a small amount of water 4 hours before your appointment time (unless you have been told otherwise). If you take Diabetes medications follow your doctor's instructions.

2 hours before your colonoscopy

Day/Time: _____

Fill in the day according to timeline table

- Stop everything by mouth, including all liquids, smoking and chewing gum.

Important!

If you followed **all** of the instructions, your stool will be a clear or yellow liquid and you are ready for your colonoscopy. If your stool is formed, please call **734-936-9250** or toll-free **877-758-2626** and reschedule your appointment.

Colon cleansing tips:

1. Stay near a toilet! You will have diarrhea, which can be quite sudden. This is normal.
2. Try drinking the solution with a straw. It may be easier to tolerate.
3. Rarely, people may have nausea or vomiting with the prep. If this occurs, give yourself a 30 -minute break, rinse your mouth or brush your teeth, then continue drinking the prep solution.
4. You may have bowel cramps until the stool has flushed from your colon (this may take 2 to 4 hours and sometimes much longer).

Anal skin irritation or a flare of hemorrhoid inflammation may occur. If this happens, treat it with over-the-counter-remedies, such as hydrocortisone cream, baby wipes, Vaseline®, or TUCKS® pads. Avoid products containing alcohol. If you have a prescription for hemorrhoid cream, you may use it. Do not use suppositories.

Disclaimer: This document contains information and/or instructional materials developed by Michigan Medicine for the typical patient with your condition. It may include links to online content that was not created by Michigan Medicine and for which Michigan Medicine does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Patient Education by [Michigan Medicine](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#). Last Revised 03/2017