

Dialysis patients may experience sexual difficulties. The reason for this varies. You can discuss this with your doctor or social worker.

What causes sexual difficulties?

- Relationship difficulties
- Illness, medications or the need for treatment
- Major life stressors
- Hormonal changes
- Anxiety and depression
- Possible body image concerns related to dialysis access
- Possible bad breath or body odor from not having enough dialysis

What are common sexual concerns?

- Absent or low sexual desire
- Painful sex
- Difficulties with erection or ejaculation
- Inability to have orgasm

What can I do to improve my sexual health?

- Have an open conversation with your partner about your concerns and desires.
- Modify how you give and receive pleasure if intercourse isn't possible.
- Talk to your doctor or social worker about any concerns you may have.
- Ask your doctor if medications might help with erectile dysfunction or low desire.
- Learn about Sexuality and Kidney Disease: <https://www.kidneyschool.org/m11>
- Seek treatment from an expert at the U-M Center for Sexual Health, phone: 734-763-4963

Disclaimer: This document contains information and/or instructional materials developed by the University of Michigan Health System (UMHS) for the typical patient with your condition. It may include links to online content that was not created by UMHS and for which UMHS does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Karen Crampton, LMSW Reviewers: Andrea DeKam, LMSW

Patient Education by [University of Michigan Health System](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#). Last Revised 07/2016