

Botulinum Toxin Injections for Migraine

This material will help you understand the basics of botulinum toxin injections and help you prepare for the procedure.

What are botulinum toxin injections?

Botulinum toxin type A (Botox[®], Dysport, Xeomin) is a protein that causes muscle weakness. When it is injected into a specific muscle, it causes the area to relax. Botulinum toxin injections are an effective treatment for chronic migraine.

What should I expect on the day of my injections?

On the day of your injections, you will arrive at the Kellogg Eye Center or Taubman Clinic. You will have the injections in a regular exam room or clinic procedure room. Your doctor will use a small needle to inject botulinum toxin into several areas on the head, neck, and upper back.

What should I expect after the injections?

You can resume normal activities right away after receiving your injections. Be careful not to rub the injection sites. This may make the toxin spread to other areas.

When will I notice results?

It may take 1 to 14 days for you to notice relief from your migraine symptoms. When botulinum toxin is effective, you will have fewer headache days and your symptoms will be less severe. Typically, the effects of the injections will last up to 3 months. In the 3 months following the injections, you should keep track of your headache symptoms using a headache diary. This will help your doctor make decisions about dose or pattern changes.

Are there complications after having botulinum toxin injections?

Botulinum toxin injections are a safe treatment. The most common side effects are:

- Pain, swelling or bruising at the injection site
- Neck pain

All of these side effects are mild and temporary. Serious side effects are unlikely, but possible. In very rare cases, botulinum toxin injections can cause muscle weakness, loss of bladder control, or trouble breathing. Call your doctor immediately if you have any of these symptoms.

When will I need another round of botulinum toxin injections?

It is recommended that you have injections about once every 3 months. The benefits of the injections will usually not decrease as you have more treatments.

For more information, scan this code with your smartphone or visit the website listed.



<http://www.nlm.nih.gov/medlineplus/botox.html#cat42>

Disclaimer: This document contains information and/or instructional materials developed by the University of Michigan Health System (UMHS) for the typical patient with your condition. It may include links to online content that was not created by UMHS and for which UMHS does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Kristin Maurer, BA, MPH candidate
Reviewers: Lindsey DeLott, MD and Gale Oren, MILS

Unless otherwise noted, Patient Education by [University of Michigan Health System](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#).

Last Revised 1/2015