

Facial Implants (Chin, Cheek, Jaw) Post-Operative Instructions

What are my post-operative instructions?

- Have someone drive you home after surgery and help you at home for 1-2 days.
- Get plenty of rest.
- Follow balanced diet. Dietary restrictions will be provided by your doctor.
- Decreased activity may promote constipation, so you may want to add more raw fruit to your diet, and be sure to increase fluid intake.
- Take pain medication as prescribed. Do not take aspirin or any products containing aspirin unless approved by your surgeon.
- Do not drink alcohol when taking pain medications.
- Even when not taking pain medications, no alcohol for 3 weeks as it causes fluid retention.
- If you are taking vitamins with iron, resume these as tolerated.
- Do not smoke, as smoking delays healing and increases the risk of complications.

Chin:

Dental and oral hygiene instructions will be provided by your doctor.

Jaw:

Dental and oral hygiene instructions will be provided by your doctor.

What should my activity level be?

- Start walking as soon as possible, this helps to reduce swelling and lowers the chance of blood clots.
- Do not drive until you are no longer taking any pain medications (narcotics).

- Return to work in about 1 week.
- Avoid any activity that could jar or bump your face for at least 6 weeks.
- Activity restrictions will be provided by your doctor.

How do I take care of my incision?

- Avoid exposing scars to sun for at least 12 months.
- Always use a strong sunblock, if sun exposure is unavoidable (SPF 30 or greater).
- Keep steri-strips on.
- Keep incisions clean and inspect daily for signs of infection.

How should I expect to feel?

• Temporary discomfort, swelling, bruising, numbness and/or stiffness.

Chin:

- Usually, your chin is taped to minimize swelling and discomfort.
- Black and blue marks around chin and neck.
- Temporary difficulty with smiling and talking.

Cheek:

- A dressing will be applied to minimize discomfort and swelling.
- Ability to move your mouth and lips may be diminished temporarily.

Jaw:

- Ability to smile, talk, or move your mouth in any way may be limited for several weeks.
- Swelling immediately after surgery can be significant and usually peaks in 24-48 hours.

What will it look like?

- Fuller, more balanced look.
- Normal appearance in 2-4 weeks.

Jaw:

• Final facial contour may not be apparent for several months due to prolonged mild swelling.

What follow-up care will I receive?

- Sutures in the skin will be removed in 5-7 days.
- Sutures used to close internal incisions usually dissolve within 10 days.

When should I call my doctor?

- If you have increased swelling or bruising.
- If swelling and redness persist after a few days.
- If you have increased redness along the incision.
- If you have severe or increased pain not relieved by medication.
- If you have any side effects to medications; such as, rash, nausea, headache, vomiting.
- If you have an oral temperature over 100.4 degrees.
- If you have any yellowish or greenish drainage from the incisions or notice a foul odor.
- If you have bleeding from the incisions that is difficult to control with light pressure.
- If you have loss of feeling or motion.

Who should I call if I have questions?

- (734) 998-6022, Monday Friday, 8 a.m. 4:30 p.m.
- After hours and on weekends, call Hospital Paging at (734) 936-6267 and ask for the Plastic Surgeon on call.

Disclaimer: This document contains information and/or instructional materials developed by the University of Michigan Health System (UMHS) for the typical patient with your condition. It may include links to online content that was not created by UMHS and for which UMHS does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Erin Larowe Reviewers: Patricia McKenzie, RN

Patient Education by <u>University of Michigan Health System</u> is licensed under a <u>Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License</u>. Last Revised 2/2014