

Preparing for your Peripheral Artery Angioplasty and Stenting

**Michigan Medicine
Frankel Cardiovascular Center**



Michigan Medicine Phone Numbers

Billing	855-855-0863
	734-615-0863
Call Center	888-287-1082
Vascular Surgery (use Call Center)	888-287-1082
Cardiovascular Operating Room Desk	734-232-4553
Office of Clinical Safety (comments)	877-285-7788
Emergency Department	734-936-6666
Guest Assistance Program (GAP) (accommodations)	800-888-9825
Hospital Operator	734-936-4000
Lost & Found	734-936-7890
Mardigian Wellness Resource Center	734-232-4120
Parking & Transportation	734-764-7474
Registration & Insurance4 Verification	866-452-9896
Med-Inn (hotel)	800-544-8684
	734-936-0100
Tobacco Consultation Services	734-938-6222
Units (Patient Care):	
CVC-4 ICU	734-936-6514
CVC-5 Cardiac Surgery	734-232-4772
CVC-2A Cardiac Procedure Unit.....	734-232-4200
Other:	
Michigan Quit Line (Smoking)	800-784-8669

Address (mail):

Frankel CVC (room number/unit if known) or UH (room number/unit if known)
Person's Name
University of Michigan Health System
1500 E. Medical Center Drive
Ann Arbor, MI 48109

Building Location (visiting):

Samuel and Jean Frankel Cardiovascular Center
East Ann Street & Observatory Street
Ann Arbor, MI 481

Table of Contents:

What are my pre-procedure medications instructions?	5
What about my blood thinners?	5
What about over the counter medications and supplements?	5
How can I prepare for my hospital stay?	6
How will I prepare for surgery?	8
Instructions for the day before surgery	8
Who do I contact if I'm not feeling well?.....	9
What activities should I avoid the night before?	9
How do I shower and get ready for my surgery?.....	10
What happens when I arrive at the hospital?.....	11
What can I expect during my procedure?.....	12
What will my hospital stay be like?	13
Our visitation policy.....	13
What type of monitoring will I need while I'm here?	14
What kind of pain or discomfort will I feel after?	14
What can I do to help keep my pain under control?	15
Why is it so important to control pain after surgery?.....	15
What exercises will I do after surgery?.....	16
What will my diet be after surgery?	17
How will I care for myself while in the hospital?	18
What can I expect on the day of discharge?	18

When do I need to seek emergency care?	19
When do I need to call my doctor?	20
What type of follow up care will I receive?	20
What steps should I take to monitor my health at home?	21
How do I care for my procedure site?.....	21
Guidelines for bathing.....	21
What are my activity instructions?.....	22
Restrictions.....	22
How will I manage my discomfort at home?	22
What are my medication instructions?	23
How do I handle my emotions after I get home?	24
What can I do to stay healthy?	24

What are my pre-procedure medication instructions?

A member of your health care team will review your medications at your history and physical visit. They will tell you which medications to stop before your procedure, and which to take on the morning of your procedure with sips of water.

How can I prepare for my hospital stay?

- Review the preoperative folder and bring it with you the hospital. Include the light blue Blood Bank form if indicated.
- Assign a family member or friend as your driver, you will not be able to drive yourself home. Taking a cab or bus alone is not acceptable unless someone you know is with you.
- **Quit smoking and vaping!** The sooner you quit before surgery, the better. People who smoke or vape up until the day of surgery are at higher risk of developing complications during and after surgery. If you continue to smoke/vape you will be more likely to have:
 - A longer stay in the hospital
 - A greater chance of needing intensive care
 - Increased risk of poor wound healing
 - Increased risk of death

If you want assistance to quit smoking prior to surgery, ask for a referral to the MHealthy Tobacco Consultation Service or call them yourself at **(734) 998-6222**.

Other resources:

- The Michigan Tobacco Quit line: 1-800-QUIT-NOW (free resource)
- The Truth Initiative: www.becomeanex.org
- US Department of Health and Human Services: www.smokefree.gov

What do I bring to the hospital?

- Bring a copy of your advanced directive.

- Plan on bringing any special equipment that you use at home:
 - Glasses, dentures and hearing aids with storage cases. Be sure to label these items with your name.
 - CPAP machine if you have sleep apnea.
 - Walker or cane, labeled with your name.
 - Leave all jewelry at home. Including wedding bands, hair clips, body piercings, earrings and watches.
- Pack a suitcase with these items for your family/friends to bring to you after your procedure:
 - Loose, comfortable clothing. Button down shirts are preferred.
 - Robe
 - Comfortable walking shoes
 - A list of the medications you are currently taking including vitamins and herbal supplements. Do not bring the actual medications with you.

How will I prepare for my procedure?

Instructions for **the day before** your procedure:

- **Do not** drink alcohol 24 hours before your procedure.
- On the last business day (Monday-Friday) before your surgery, you will need to confirm the day and time of your procedure. Make sure you follow these steps:
 - If your surgery is in the:
 - **CVC Operating Room** on level 4
 - Call the surgery phone line at **(866) 983-9090** between 7:30am and 11:30am.
 - If your procedure is on Monday, call the Friday before. If your procedure is the day after a holiday, call on the last business day (M-F) before the holiday.

- On the answering machine leave your name and phone number. Be sure to spell your name clearly and slowly.
- A preoperative nurse will call you back between in the afternoon before 5:00pm to give you the following instructions:
 - The time your procedure starts and what time you should arrive the day of your procedure.
 - When to stop eating food and drinking liquids.
 - Medications you should take on the day of your procedure.

Who do I contact if I'm not feeling well the day before my procedure?

Report any symptoms of flu, cold, infection, chest pain, difficulty breathing or black/bloody stools to your doctor. It is important that you be in your best health possible for your procedure.

- To report any of these symptoms before 4:30pm call **(888) 287-1082** Monday - Friday and ask to speak to the Vascular Surgery Nurse.
- To report symptoms after 4:30pm, please call **(866) 983-9090** and leave a message.

What activities should I avoid after midnight the night before procedure?

- **Do not eat** gum, hard candy, or food of any kind.
- You may have sips of water with your morning medications up to (2) hours before your arrival time.

How do I shower and get ready for my procedure?

You need to shower on the night before and morning of your procedure using Chlorhexidine (CHG) 4% antiseptic soap which is a surgical soap that reduces the amount of germs on your skin.

1. Take a shower **the night before** your procedure.

2. Wash your face using regular soap.
3. Wash your hair using regular shampoo. Make sure to rinse your hair completely after shampooing.
4. Wash your body from the neck down using the chlorhexidine body wash for at least 5 minutes with a freshly-laundered wash cloth. Do the following:
 - a) First, wash **your surgical site** area and all surrounding skin with the CHG soap.
 - b) Then wash your underarms, chest, under your breasts, stomach/belly button, hips, groin and buttocks.
 - c) Rinse thoroughly.
 - **Do not** use the body wash on your face, eyes, ears, mouth or hair.
 - **Do not** use in your genital area (“private parts”).
5. Rinse your body completely and pat your skin dry with a freshly laundered towel.
 - **Do not** apply make-up, deodorant, lotions, sprays, gels, creams, ointments or powders after showering with the CHG soap.
 - After showering, use clean clothes and freshly-laundered bed linens.
6. Put on clean underwear, socks and clothing.
7. **On the morning** of your procedure, use a new freshly-laundered washcloth and towel and repeat steps 1-6.
 - **Remove** nail polish and artificial nail products from your hands and feet.
 - **Do** brush your teeth the morning of procedure. This reduces your chances of pneumonia after surgery.
 - **Do not** wear contact lenses to the operating room.

What happens when I arrive at the hospital?

Please park in Cardiovascular Center Visitor Parking Structure P5.

1. Enter the Cardiovascular Center on Level 3 from the parking structure
2. If your procedure is in the:
 - **CVC Operating Room** on Level 4

Frankel Cardiovascular Center
Peripheral Artery Angioplasty and Stenting

- Take the elevator to Level 4.
- “Surgery Check In” is on the right-hand side after you exit the elevator.

Address to use for GPS directions to the
Frankel Cardiovascular Center:
1425 E. Ann St.
Ann Arbor, MI. 48109

Valet service is available for patients, families, and other visitors for a \$5.00 fee at the circle drive main entrance to the Cardiovascular Center.
Valet Service is available:

What can I expect during my procedure?

Peripheral artery angioplasty is considered a non-surgical procedure because it's less invasive than surgery. You will only have a small puncture site in your groin. General anesthesia isn't needed, so you're awake during the procedure.

What will happen before the procedure?

- You will be taken to a procedure room and asked to lie on a bed. You will rest your head in a cup-shaped area to help you remain comfortable and still while pictures of your carotid artery are taken.
- Small electrode patches are placed on the chest to monitor your heart rate and rhythm during the procedure.
- You will have an intravenous catheter placed in your veins for fluids and medications.
- Your groin is shaved and cleaned with an antiseptic solution, and a sterile drape is placed over your body.
- You will receive sedation medication to help you relax.
- A local anesthetic is injected into your groin to numb the area.

- Once you're sedated, your doctor makes a puncture in an artery (groin or neck).

What will happen during the procedure?

The following describes the angioplasty and stenting procedure:

- A small hollow tube (sheath) is placed into your artery.
- A catheter with a balloon tip is threaded through the tube to the narrowing in your artery using X-ray guidance.
- Contrast material is injected into your artery through the catheter to allow your doctor to see a detailed view of your narrowed artery. You may feel warmth in your chest or head from the contrast material.
- A filter is placed in your artery beyond the narrowing to catch any pieces of plaque that may break off during the procedure.
- The balloon tip is threaded into the narrowed area and inflated to push the plaque to the side to open the narrowed area.
- A small metal mesh tube (stent) may be placed in your newly opened vessel. The stent expands to provide support to the artery wall and helps prevent the artery from narrowing again.
- The filter, sheath, catheter and balloon are then removed.

What will my hospital stay be like?

After your procedure you will be admitted to a general care unit or observation unit. You may be able to go home the next day. Your doctor will tell you more about what to expect. Here our team will continue to help you recover from your procedure. When you arrive to the unit, your nurse and patient care technician will meet you. They will orient you and your family to the unit

Our Visitation Policy

Our visitor policy has changed temporarily due to the global COVID-19 pandemic and may continue to change as the situation evolves. See link for the most up to date Visitor Guidelines: <https://michmed.org/visitors-covid-19>

When you first arrive

- You may feel sleepy from the sedative given to you, but this should wear off in time.
- You will have to stay in bed for several hours, keeping your leg straight to prevent bleeding or bruising at your procedure site.
- You will be asked to drink lots of fluids to flush the contrast dye out of your system.

What type of monitoring will I need while I'm here?

When you arrive on the unit, you may have a portable heart monitor called a telemetry unit, be attached to your chest. The unit will send your heart rate and rhythm to monitors located at your bedside and at the nursing station. This portable monitor allows you to walk in the halls freely. Other care you may receive:

- The nurses and techs will regularly check your blood pressure, heart rate and temperature.
- Your procedure site will be checked frequently.
- You will have your blood drawn for lab tests.
- We will measure how much you drink and urinate. We will provide a container for you to urinate into for measurement. We will also ask that you keep track of the amount of fluid that you drink and report it to your nurse or tech.
- You will be weighed daily.
- A staff member (either a nurse or tech) will enter your room to assess your needs hourly.

Pain and discomfort after your procedure

What kind of pain or discomfort can I expect to feel after my procedure?


You may feel pain at your procedure site that should be controllable with acetaminophen (Tylenol ®) or ibuprofen (Motrin®).

What can I do to help keep my pain under control?

You doctor will order effective medication for you to take. Narcotics are not typically prescribed for this procedure and so you will most likely receive acetaminophen (Tylenol ®) or ibuprofen (Motrin®). Your nurse will ask you about your pain at regular intervals throughout your recovery. You shouldn't hesitate to ask for pain medication if needed.

Throughout your hospital stay, the nurses will monitor your need for pain medication. You can use the numeric pain rating scale below to measure your pain. This is a helpful tool you can use to describe how much pain you are feeling and to measure how well treatments are relieving your pain. You will be asked to rate your pain using a 0-to-10 pain scale. 0 means “no pain.” 10 means the “worst pain possible.”

Numeric Pain Rating Scale



Why is it so important to control pain after my procedure?

Having good pain control not only helps you feel more comfortable, but also helps you recover faster and may reduce your risk of developing certain complications, such as pneumonia and blood clots. If your pain is well

managed, tasks such as sitting, walking, coughing, deep breathing and eating will be easier.

What are my activity instructions while in the hospital?

Activity is an important part of the recovery process after surgery. It helps in the following ways:

- Increases blood flow to your legs and feet to lower your risk of developing blood clots.
- Expands your lungs so you can clear any fluids to prevent pneumonia.
- Reduces or relieves pressure on bony areas to prevent pressure injuries.
- Reduces constipation and gas pain.
- Increases your muscle strength and endurance

Below are activities you will be expected to perform during your hospital stay:

- **Deep breathing and Coughing**
Use your breathing machine (Incentive Spirometer) 10 times every hour while you are awake. For example, if you like watching TV, you should be using your Incentive Spirometer 2-3 times during each commercial break.

Tips when using the incentive spirometer:

- Do not get discouraged if you do not reach the number marked for you. You will improve with practice as your body heals.
- If you start to feel dizzy or light-headed, remove the mouthpiece from your mouth and take some normal breaths. Once you feel better, continue using the incentive spirometer.



How to Use an Incentive Spirometer

[By BruceBlaus - Own work, CC BY-SA 4.0](#)

• Walking

Walking after your procedure is one of the most important things you can do. Beginning the day of your procedure, you will have exercise goals once you are off of bedrest:

- Walk the halls
- Up to the chair for meals

• Repositioning

To prevent pressure injuries during your hospital stay, you need to change your body position. The following recommendations will help you reposition yourself:

- **While in bed:** turn your body at least every 2 hours from side to side.
- Keep the head of your bed at a 30-degree angle to prevent too much pressure on your bony areas.
- Place a pillow between your ankles and knees when lying on your side.

- Place a pillow under your lower legs to elevate the heels when lying on your back.
- **When sitting**, change your position every 15 minutes by tilting your body forward or to the side so that your bottom lifts off the seat.
- Stand up or do “pushups” by using arms to raise off the seat every hour.

What will my diet be after my procedure?

Your food will be low in fat and cholesterol and will not have any added salt or sugar. It may taste different than what you are used to eating at home. It is very important for you to eat to improve the healing process.

Guidelines:

Eat a balanced diet of:

- Carbohydrate-rich foods high in fiber
- A variety of fruits and vegetables
- Low-fat dairy products
- Lean meats
- Protein-rich foods very important for wound healing. Good source of protein includes: fish, eggs, dairy, beans and nuts.

Room service is available at any time of the day. Your nurse will bring you a menu so you can choose what you would like to eat. Your nurse will check to see if you ordered food and will assist you if needed.

If you are diabetic or insulin dependent, your nurse will ask you to call him/her before you eat so she/he can check your blood sugar. It is fine for your family to bring food from home, but it should be low in salt and low to moderate in fat.

Many patients experience constipation after their procedure due to inactivity and pain medication. Eating a diet rich in fiber, drinking enough fluids, walking

the halls, and taking a stool softener will help your bowels move. Sometimes a suppository or laxative is needed to help aid this process along.

Our registered dietitians are food and nutrition experts. They are available to discuss heart healthy choices and salt alternatives or reduction. They provide sound, easy-to-follow nutrition advice. If you are interested in speaking to a dietitian, ask your nurse to arrange a visit.

How will I care for myself while in the hospital?

- Wash your hands frequently or use hand sanitizer or sanitizer wipes that we provide to you. Hand hygiene is very important to decrease your risk of infection.
- Bathe daily with the assistance of a staff or family member.
- Brush your teeth and rinse your mouth 2 times per day.
 - Patients who have poor oral hygiene are more likely to get Hospital Acquired Pneumonia (HAP).
 - If you inhale germs in the air, they can travel to your lungs. Brushing your teeth helps prevent these germs from getting to your lungs.

What can I expect on the day of discharge?

You will be discharged from the hospital within 24 hours after your procedure. Do not plan on driving yourself home or going home alone in a cab or bus. When you're ready to go home, you'll need to have a family member or friend drive you.

- Discharge time from the hospital may be as early as 9:30am. Please check with your nurse to determine the anticipated time of your discharge.
- Ask a family member or friend to be with you for the final review of your discharge instructions. Please make plans for them to be there at 9:30am the morning you are leaving.

- Your case manager nurse will be in contact with you to explain your final discharge plans.
- Your nurse will review all discharge instructions with you. During this time, ask any questions that you may have about your care after discharge.
- Be sure to understand:
 - ☐ Your medications and prescriptions
 - ☐ Incision care
 - ☐ Activity and restrictions
 - ☐ Diet
 - ☐ Reasons to call your doctor
 - ☐ Follow up appointment information
- At home you will need to monitor your temperature and weight until your next appointment. Please make sure that you have a thermometer and scale before you are discharged.

When do I need to seek emergency care?

Call 9-1-1 immediately if:

You have any of the following **symptoms of a stroke**:

- Sudden confusion, trouble speaking or understanding others
- Sudden trouble seeing in one or both eyes
- Sudden numbness or weakness of the face, arm, or leg, usually on one side of your body
- Sudden trouble walking, dizziness, loss of balance or loss of coordination
- Sudden or severe headache with no known cause

If you have any of the symptoms list below:

- Sudden onset of chest pain
- Shortness of breath not relieved by rest
- You believe you are experiencing a true emergency

When do I need to call my doctor?

- Temperature above 101.5° F under the tongue
- Bleeding, redness, swelling, increased pain or foul smelling drainage near your procedure site
- Bruising at your procedure site that increases in size quickly
- Procedure site that opens up after you leave the hospital
- Increased swelling in your legs or ankles
- Weight gain of more than 5 pounds in 3 days
- Increased shortness of breath/difficulty breathing
- Trouble urinating
- Nausea, vomiting or diarrhea
- Stomach pain or bloating
- Chills or excessive sweating
- A vague feeling that something is wrong
- Black or blood stools

What is the number to call?

- Call **(888) 287-1082** Monday through Friday from 8:00am to 4:30pm:
 - Ask to speak to the Vascular Surgery Nurse.
- Call **(734) 936-6267** after 4:30pm or on weekends or holidays:
 - Ask the hospital operator to page the Vascular Surgery Medical Resident on call. You will receive a call back from the Resident.

What type of follow up care will I receive?

You will have a post-operative visit in the Vascular Surgery Clinic in approximately 4 weeks after your procedure. If you did not receive an appointment for your return visit before you left the hospital, please call **(888) 287-1082** to schedule this visit.

What steps should I take to monitor my health at home?

You will need to perform and record the following self-checks daily:

Frankel Cardiovascular Center
Peripheral Artery Angioplasty and Stenting

- Check your procedure site daily for signs of infection including:
 - Increased redness
 - Tenderness
 - Swelling
 - Warmth or drainage
- Take your temperature each morning before eating or drinking and at any time you think you may have a fever.
- Weigh yourself at the same time, on the same scale, in the same clothes, and in the same way each day.

How do I care for my procedure site?

You will have a procedure site in your groin. This site may remain tender, swollen, and bruised for up to a week. There may be a small area of discoloration or a small lump in the area of the puncture.

Follow these guidelines to care for your procedure site while bathing:

- Wash your procedure site(s) with your usual bath soap and water every day.
- Pat dry and leave open to air.
- Use a freshly laundered wash cloth and towel each time you shower.
- **Do not** put any creams, lotions, powders or ointments on your surgical incision(s) until they heal.
 - **Do not** soak in a bathtub, hot tub or get into a swimming pool for the next 4 weeks.

What are my activity instructions?

After 48 hours you can return to your usual activities.

Restrictions

- **Do not** participate in strenuous activities (weight lifting, running etc.) for 7 days after your procedure.

- **Do not** lift, push or pull any objects over 5 pounds for 7 days after your procedure
- **Driving:**
 - Your doctor will discuss with you when you can drive again.
 - **Do not** drive if you are taking narcotic pain medication.
 - You can ride as a passenger in a car at any time, but, as always, you should wear your seatbelt.

Activities

- Use your breathing machine 4 times a day (10 breaths each time) until you return for your clinic visit.
- Walk every day (find an indoor setting during bad weather).
- You may climb stairs but take them at a slow pace.
- Limit the number of times you take the stairs until you feel well.
- Gradually increase your activities until you reach your normal activity level within one week after the procedure.

How will I manage my discomfort at home?

You will experience minimal pain after your procedure. Your goal at home is to control your discomfort so you can do the things you need to do to heal. It is important to know that discomfort is normal after this procedure. You may take acetaminophen (Tylenol ®) or ibuprofen (Motrin®) for any discomfort at your procedure site.

Below are a few tips to help you relieve your discomfort:

- Remember to take acetaminophen (Tylenol ®) or ibuprofen (Motrin®) before activity and at bedtime.
- Be sure to get enough rest. If you are having trouble sleeping, talk to your doctor.
- Use pillows to support you when you sleep and when you do your coughing and deep breathing exercises.

- Try using alternative methods for pain: guided imagery, listening to soft music, or changing your position in bed.

What are my medication instructions?

- When you are discharged from the hospital, you receive a complete list of the medications that you should take at home.
- Your medication list will include the following information:
 - Medication name(s)
 - Dose of the medication
 - Number of times you should take the medication each day
 - The last time you took each medication
 - The next time that you should take each medication
- Your doctor will give you prescriptions before you leave the hospital.
- Have your insurance cards with you to help speed up the filling of your prescriptions.
- Take your medicine exactly as your doctor prescribes.
- Do not take other medication without telling your doctor.
- Follow-up with your heart doctor and primary care provider within 2 weeks of discharge. They will need to make sure your medication list is complete and accurate. They may also need to adjust or change doses for the most effective treatment.
- Keep a current list of your medicines, dosages, and times to be taken in your wallet or purse.

How do I handle my emotions after I get home?

Feeling like yourself again after surgery may take a while. People who have had surgery commonly experience mood swings, feel depressed or down after returning home. You may find yourself crying for no clear reason or feeling more emotional or sentimental than normal. Even though you may feel drained emotionally, follow the guidelines for good self-care. As you resume your

normal activities, you should notice gradual improvement in your mood and positive outlook.

- If you find yourself still feeling unmotivated, unusually fatigued, weepy, angry, hopeless, or sad after 3 weeks, be sure to call the CVC Social Worker at (734) 232-1559 or your Primary Care Doctor to make an appointment to talk about how you are feeling.
- If you have thoughts of hurting yourself call the National Suicide Prevention Lifeline at (800) 273-8255. This service is available 24 hours a day every day. Chat options are also available through their website <https://suicidepreventionlifeline.org/>

What can I do to stay healthy?

Although peripheral stenting opens your artery and keeps blood flowing, it does not stop plaque from building up again. To prevent your arteries from becoming narrow again, you should consider the following lifestyle changes:

- Eat more foods low in saturated fat, cholesterol, and calories
- Exercise regularly, especially exercise like walking that gets your heart pumping and makes you breath faster (aerobic exercise)
- Maintain your ideal body weight
- Quit smoking
- Take your medications to control cholesterol levels and to thin your blood if your provider prescribes it.

Disclaimer: This document contains information and/or instructional materials developed by Michigan Medicine for the typical patient with your condition. It may include links to online content that was not created by Michigan Medicine and for which Michigan Medicine does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Bethany Lee-Lehner, RN, MSN
Reviewers: Chandu Vemuri, MD

Patient Education by [Michigan Medicine](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International Public License](#). Last Revised 11/2023
CVC Control #1148