

Tell your doctor if you are pregnant or breastfeeding.

You have scheduled a Renal Study with Lasix. This study uses a small amount of radioactive material. The level of radioactivity used is extremely low and has no side effects.

How do I prepare for my study?

- Hydrate before injection.

What happens during my study?

- A small amount of radioactive material will be injected into an I.V. catheter placed into a vein in your arm.
- We will take images for about 45 minutes. We will position you on an imaging table, under a special detector called a gamma camera. The camera will be close to the part of your body being imaged. The camera does not produce any radiation and will not cause any pain or discomfort.
- Lasix (a diuretic), will be injected 20 minutes into the imaging into the same catheter.
- Pediatric patients will have a urinary catheter placed in their bladder for the study to allow for continual drainage of the bladder.

Disclaimer: This document contains information and/or instructional materials developed by the University of Michigan Health System (UMHS) for the typical patient with your condition. It may include links to online content that was not created by UMHS and for which UMHS does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Reviewed by: Kirk Frey, MD
Robert Ackermann

Patient Education by [University of Michigan Health System](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#). Last Revised 4/2016