

## **Steroid Preparation Before Frameless Stereotactic Radiation**

---

Your doctor has prescribed Dexamethasone. Pronounced: (deks a METH a sone).

Please follow these directions:

- Take 10mg of Dexamethasone two hours before your treatment time. This is an oral tablet medication.
- Take this medication with a small amount of food.
- Tell your doctor or nurse which pharmacy you'd like to have your medication sent to.

**If you have questions, please call the Radiation Oncology clinic at (734) 936-4300 Monday thru Friday, 8:00 am to 5:00.**

**If you have questions on weekends or after 5:00 pm, call (734) 936-6267 and ask for the Radiation Oncology Resident on call.**

Disclaimer: This document contains information and/or instructional materials developed by Michigan Medicine for the typical patient with your condition. It may include links to online content that was not created by Michigan Medicine and for which Michigan Medicine does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Jill James, RN, BSN  
Reviewers: James Hayman, MD

Patient Education by [Michigan Medicine](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#).

Document #1912 /Last Revised 03/2017