

## **Appendix A:**

### Articles Excluded After Full Review:

1. Barnes DG, Timoney AG, Moulas G et al: Correlation of bacteriological flora of the urethra, glans and perineum with organisms causing urinary tract infection in the spinal injured male patient. *Paraplegia* 1992; **30**: 851-854.
2. Bueschen AJ, Lloyd LK: Practical uses of a quantitative renal scintillation camera study. *South Med J* 1976; **69**: 1290-1293.
3. Bycroft J, Hamid R, Bywater H et al: Variation in urological practice amongst spinal injuries units in the UK and Eire. *Neurourol Urodyn* 2004; **23**: 252-6; discussion 257.
4. Chagnon S, Vallee C, Laissy JP et al: Ultrasonic evaluation of the urinary tract in patients with spinal cord injuries. Systematic comparison with intravenous urography in 50 cases]. *J Radiol* 1985; **66**: 801-806.
5. Chen Y, Roseman JM, Funkhouser E et al: Urine specific gravity and water hardness in relation to urolithiasis in persons with spinal cord injury. *Spinal Cord* 2001; **39**: 571-576.
6. Deresinski SC, Perlash I: Urinary tract infections in male spinal cord injured patients. Part one: Bacteriologic diagnosis. *J Am Paraplegia Soc* 1985; **8**: 4-6.
7. Donovan WH, Hull R, Cifu DX et al: Use of plasmid analysis to determine the source of bacterial invasion of the urinary tract. *Paraplegia* 1990; **28**: 573-582.
8. Fanciullacci F, Zanollo A, Sandri S et al: The neuropathic bladder in children with spinal cord injury. *Paraplegia* 1988; **26**: 83-86.
9. Hess MJ, Zhan EH, Foo DK et al: Bladder cancer in patients with spinal cord injury. *J Spinal Cord Med* 2003; **26**: 335-338.
10. Jensen AE, Hjeltnes N, Berstad J et al: Residual urine following intermittent catheterisation in patients with spinal cord injuries. *Paraplegia* 1995; **33**: 693-696.
11. Joseph AC, Albo M: Urodynamics: the incidence of urinary tract infection and autonomic dysreflexia in a challenging population. *Urol Nurs* 2004; **24**: 390-393.
12. Juma S, Mostafavi M, Joseph A: Sphincterotomy: long-term complications and warning signs. *Neurourol Urodyn* 1995; **14**: 33-41.
13. Kim YH, Kattan MW, Boone TB: Bladder leak point pressure: the measure for sphincterotomy success in spinal cord injured patients with external detrusor-sphincter dyssynergia. *J Urol* 1998; **159**: 493-6; discussion 496-7.

14. Linsenmeyer MA, Linsenmeyer TA: Accuracy of predicting bladder stones based on catheter encrustation in individuals with spinal cord injury. *J Spinal Cord Med* 2006; **29**: 402-405.
15. MacDiarmid SA, Arnold EP, Palmer NB et al: Management of spinal cord injured patients by indwelling suprapubic catheterization. *J Urol* 1995; **154**: 492-494.
16. Marchetti LJ, Gonick P: A comparison of renal function in spinal cord injury patients with and without reflux. *J Urol* 1970; **104**: 365-367.
17. McGuire EJ, Noll F, Maynard F: A PRESSURE MANAGEMENT-SYSTEM FOR THE NEUROGENIC BLADDER AFTER SPINAL-CORD INJURY. *Neurourology and urodynamics* 1991; **10**: 223-230.
18. Merritt JL: Residual urine volume: correlate of urinary tract infection in patients with spinal cord injury. *Arch Phys Med Rehabil* 1981; **62**: 558-561.
19. Moser C, Kriegbaum NJ, Larsen SO et al: Antibodies to urinary tract pathogens in patients with spinal cord lesions. *Spinal Cord* 1998; **36**: 613-616.
20. Pabbineedi R, Kulkarni JR, Barnes AJ: Evaluation of routine surveillance urine cultures in rehabilitation ward admissions: a prospective study. *Clin Rehabil* 1997; **11**: 249-252.
21. Sawyer WT, Hutchins K: Assessment and predictability of renal function in spinal cord injury patients. *Urology* 1982; **19**: 377-380.
22. Schlager TA, Dilks S, Trudell J et al: Bacteriuria in children with neurogenic bladder treated with intermittent catheterization: natural history. *J Pediatr* 1995; **126**: 490-496.
23. Smith CP, Kraus SR, Nickell KG et al: Video urodynamic findings in men with the central cord syndrome. *J Urol* 2000; **164**: 2014-2017.
24. van Velzen D, Krishnan KR, Parsons KF et al: Comparative pathology of dome and trigone of urinary bladder mucosa in paraplegics and tetraplegics. *Paraplegia* 1995; **33**: 565-572.
25. Wiwanitkit V, Ekawong P: Diagnostic value of urine strip testing for white blood cells: an implication for screening in individuals with spinal cord injury. *Sexuality and Disability* 2007; **25**: 197-201.

Articles Included in Systematic Review:

1. Anderson RU, Hsieh-Ma ST: Association of bacteriuria and pyuria during intermittent catheterization after spinal cord injury. *J Urol* 1983; **130**: 299-301.
2. Bih LI, Changlai SP, Ho CC et al: Application of radioisotope renography with technetium-99m mercaptoacetyltriglycine on patients with spinal cord injuries. *Arch Phys Med Rehabil* 1994; **75**: 982-986.
3. Bih LI, Tsai SJ, Tung LC: Sonographic diagnosis of hydronephrosis in patients with spinal cord injury: influence of bladder fullness. *Arch Phys Med Rehabil* 1998; **79**: 1557-1559.
4. Bodner DR, Witcher M, Resnick MI: Application of office ultrasound in the management of the spinal cord injury patient. *J Urol* 1990; **143**: 969-972.
5. Brandt TD, Neiman HL, Calenoff L et al: Ultrasound evaluation of the urinary system in spinal-cord-injury patients. *Radiology* 1981; **141**: 473-477.
6. Broecker BH, Klein FA, Hackler RH: Cancer of the bladder in spinal cord injury patients. *J Urol* 1981; **125**: 196-197.
7. Calenoff L, Neiman HL, Kaplan PE et al: Urosonography in spinal cord injury patients. *J Urol* 1982; **128**: 1234-1237.
8. Chao R, Mayo ME: Long-term urodynamic follow up in pediatric spinal cord injury. *Paraplegia* 1994; **32**: 806-809.
9. Davies B, Chen JJ, McMurry T et al: Efficacy of BTA stat, cytology, and survivin in bladder cancer surveillance over 5 years in patients with spinal cord injury. *Urology* 2005; **66**: 908-911.
10. Deresinski SC, Perkash I: Urinary tract infections in male spinal cord injured patients. Part two: Diagnostic value of symptoms and of quantitative urinalysis. *J Am Paraplegia Soc* 1985; **8**: 7-10.
11. Faarvang KL, Muller P, Lomberg B et al: Screening for bacteriuria in patients with spinal cord lesion: dipstick test, microscopic examination and urine culture. *Spinal Cord* 2000; **38**: 106-108.
12. Generao SE, Dall'era JP, Stone AR et al: Spinal cord injury in children: long-term urodynamic and urological outcomes. *J Urol* 2004; **172**: 1092-4, discussion 1094.
13. Gousse AE, Meinbach DS, Kester RR et al: Renal Ultrasound Correlates with Renal Nuclear Scan in Upper Tract Surveillance of Spinal Cord-Injured Patient. *Topics in Spinal Cord Rehabilitation* 2003; **8**: 1-1-7.
14. Gribble MJ, McCallum NM, Schechter MT: Evaluation of diagnostic criteria for bacteriuria in acutely spinal cord injured patients undergoing intermittent catheterization. *Diagn Microbiol Infect Dis* 1988; **9**: 197-206.

15. Gribble MJ, Puterman ML, McCallum NM: Pyuria: its relationship to bacteriuria in spinal cord injured patients on intermittent catheterization. *Arch Phys Med Rehabil* 1989; **70**: 376-379.
16. Hackler RH, Hall MK, Zampieri TA: Bladder hypocompliance in the spinal cord injury population. *J Urol* 1989; **141**: 1390-1393.
17. Hamid R, Bycroft J, Arya M et al: Screening cystoscopy and biopsy in patients with neuropathic bladder and chronic suprapubic indwelling catheters: is it valid?. *J Urol* 2003; **170**: 425-427.
18. Hoffman JM, Wadhvani R, Kelly E et al: Nitrite and leukocyte dipstick testing for urinary tract infection in individuals with spinal cord injury. *J Spinal Cord Med* 2004; **27**: 128-132.
19. Jayawardena V, Midha M: Significance of bacteriuria in neurogenic bladder. *J Spinal Cord Med* 2004; **27**: 102-105.
20. Kaufman JM, Fam B, Jacobs SC et al: Bladder cancer and squamous metaplasia in spinal cord injury patients. *J Urol* 1977; **118**: 967-971.
21. Killorin W, Gray M, Bennett JK et al: The value of urodynamics and bladder management in predicting upper urinary tract complications in male spinal cord injury patients. *Paraplegia* 1992; **30**: 437-441.
22. Konety BR, Nguyen TS, Brenes G et al: Clinical usefulness of the novel marker BLCA-4 for the detection of bladder cancer. *J Urol* 2000; **164**: 634-639.
23. Kuhlemeier KV, Huang CT, DeVivo MJ et al: Year-to-year changes in effective renal plasma flow in asymptomatic spinal cord injury patients. *Urology* 1986; **28**: 270-274.
24. Kuhlemeier KV, Huang CT, Lloyd LK et al: Effective renal plasma flow: clinical significance after spinal cord injury. *J Urol* 1985; **133**: 758-761.
25. Kuhlemeier KV, Lloyd LK, Stover SL: Long-term followup of renal function after spinal cord injury. *J Urol* 1985; **134**: 510-513.
26. Kuhlemeier KV, McEachran AB, Lloyd LK et al: Renal function after acute and chronic spinal cord injury. *J Urol* 1984; **131**: 439-445.
27. Linsenmeyer MA, Linsenmeyer TA: Accuracy of bladder stone detection using abdominal x-ray after spinal cord injury. *J Spinal Cord Med* 2004; **27**: 438-442.
28. Linsenmeyer TA, Oakley A: Accuracy of individuals with spinal cord injury at predicting urinary tract infections based on their symptoms. *J Spinal Cord Med* 2003; **26**: 352-357.
29. Lloyd LK, Dubovsky EV, Bueschen AJ et al: Comprehensive renal scintillation procedures in spinal cord injury: comparison with excretory urography. *J Urol* 1981; **126**: 10-13.

30. Locke JR, Hill DE, Walzer Y: Incidence of squamous cell carcinoma in patients with long-term catheter drainage. *J Urol* 1985; **133**: 1034-1035.
31. MacDiarmid SA, McIntyre WJ, Anthony A et al: Monitoring of renal function in patients with spinal cord injury. *BJU Int* 2000; **85**: 1014-1018.
32. Massa LM, Hoffman JM, Cardenas DD: Validity, accuracy, and predictive value of urinary tract infection signs and symptoms in individuals with spinal cord injury on intermittent catheterization. *J Spinal Cord Med* 2009; **32**: 568-573.
33. Mohler JL, Ellison MF, Flanigan RC: Creatinine clearance prediction in spinal cord injury patients: comparison of 6 prediction equations. *J Urol* 1988; **139**: 706-709.
34. Morcos SK, Thomas DG: A comparison of real-time ultrasonography with intravenous urography in the follow-up of patients with spinal cord injury. *Clin Radiol* 1988; **39**: 49-50.
35. Morrison MC, Lum G: Dipstick testing of urine--can it replace urine microscopy?. *Am J Clin Pathol* 1986; **85**: 590-594.
36. Navon JD, Soliman H, Khonsari F et al: Screening cystoscopy and survival of spinal cord injured patients with squamous cell cancer of the bladder. *J Urol* 1997; **157**: 2109-2111.
37. Nosseir M, Hinkel A, Pannek J: Clinical usefulness of urodynamic assessment for maintenance of bladder function in patients with spinal cord injury. *Neurourol Urodyn* 2007; **26**: 228-233.
38. Penders J, Huylensbroeck AA, Everaert K et al: Urinary infections in patients with spinal cord injury. *Spinal Cord* 2003; **41**: 549-552.
39. Rao KG, Hackler RH, Woodlief RM et al: Real-time renal sonography in spinal cord injury patients: prospective comparison with excretory urography. *J Urol* 1986; **135**: 72-77.
40. Scher AT: Changes in the upper urinary tract as demonstrated on intravenous pyelography and micturating cysto-urethrography in patients with spinal cord injury. *Paraplegia* 1975; **13**: 157-161.
41. Shingleton WB, Bodner DR: The development of urologic complications in relationship to bladder pressure in spinal cord injured patients. *J Am Paraplegia Soc* 1993; **16**: 14-17.
42. Stonehill WH, Goldman HB, Dmochowski RR: The use of urine cytology for diagnosing bladder cancer in spinal cord injured patients. *J Urol* 1997; **157**: 2112-2114.
43. Tempkin A, Sullivan G, Paldi J et al: Radioisotope renography in spinal cord injury. *J Urol* 1985; **133**: 228-230.
44. Tins B, Teo HG, Popuri R et al: Follow-up imaging of the urinary tract in spinal injury patients: is a KUB necessary with every ultrasound?. *Spinal Cord* 2005; **43**: 219-222.

45. Tsai SJ, Ting H, Ho CC et al: Use of sonography and radioisotope renography to diagnose hydronephrosis in patients with spinal cord injury. *Arch Phys Med Rehabil* 2001; **82**: 103-106.
46. Tseng FF, Bih LI, Tsai SJ et al: Application of renal Doppler sonography in the diagnosis of obstructive uropathy in patients with spinal cord injury. *Arch Phys Med Rehabil* 2004; **85**: 1509-1512.
47. Tuel SM, Meythaler JM, Cross LL et al: Cost-effective screening by nursing staff for urinary tract infection in the spinal cord injured patient. *Am J Phys Med Rehabil* 1990; **69**: 128-131.
48. Vaidyanathan S, Hughes PL, Soni BM: A comparative study of ultrasound examination of urinary tract performed on spinal cord injury patients with no urinary symptoms and spinal cord injury patients with symptoms related to urinary tract: do findings of ultrasound examination lead to changes in clinical management?. *ScientificWorldJournal* 2006; **6**: 2450-2459.
49. Waites KB, Canupp KC, DeVivo MJ et al: Compliance with annual urologic evaluations and preservation of renal function in persons with spinal cord injury. *J Spinal Cord Med* 1995; **18**: 251-254.
50. Yang CC, Clowers DE: Screening cystoscopy in chronically catheterized spinal cord injury patients. *Spinal Cord* 1999; **37**: 204-207.