

If your doctor or nurse says that you are at risk for infection, please use the following precautions:

- Wash hands when leaving or re-entering your room
- Avoid sick family members or visitors
- Do not wear contact lenses
- Avoid rubbing eyes, touching face
- Have your nurse or tech help cover your central line or IV site with plastic wrap and tape to prevent it from getting wet
- Shower daily using chlorhexidine liquid soap. Do not use bar soap.
- Perform peri-care after each bathroom use. Clean thoroughly using a foam cleanser or baby wipe.
- Use protective ointment when having diarrhea
- Nothing per rectum or vagina
- If ordered, use salt and soda mouth rinses four times daily after meals and before bed
- Brush your teeth with a soft toothbrush twice a day (minimally)
- After 2 hours, food should be discarded or stored in the refrigerator.
- Discard refrigerated food items after 4 days
- Use an alcohol swab to clean off tops of cans
- Remember to wear a mask as directed

Disclaimer: This document contains information and/or instructional materials developed by Michigan Medicine for the typical patient with your condition. It may include links to online content that was not created by Michigan Medicine and for which Michigan Medicine does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Chelsea Harding, BSN, RN, OCN, ENC Patient Education by <u>Michigan Medicine</u> is licensed under a <u>Creative Commons Attribution</u>-<u>NonCommercial-ShareAlike 4.0 International Public License</u>. Last Revised 12/2018