

# Direct Laryngoscopy Post-Operative Instructions

---

## **What can I expect after surgery?**

The recovery period after this procedure is generally smooth and uncomplicated. However, an occasional situation may arise which can be distressing for you as a patient, or a family member. The following general information and suggestions may help you through this period.

## **How will I feel after surgery?**

- A sore throat is common following this surgery and may last for 1 week.
- Sores in the mouth, or swelling of the lips may occur, and should resolve within one week.
- You may experience some nausea/vomiting which should improve in the first day.
- You may have low-grade fever, less than 100 degrees for a few days.

## **Are there diet restrictions after surgery?**

- Liquid is essential. Start with ice chips, sips of water, or your favorite fruit juice drink, then progress to at least an 8 ounce glass of liquid per hour until you are able to tolerate solid food.
- If swallowing liquids causes chest pain or shortness of breath, please contact your doctor immediately.
- Cold liquids, non-acidic juices, sherbet ice cream, and Popsicles are tolerated better within the first 24 hour period. You may then progress to soft foods gradually (Jell-O, custard, soft boiled or scrambled eggs, pudding, mashed potatoes).
- Drink lots of fluids to keep your throat moist.

- Avoid acidic foods and juices, (orange, tomato) salty, and fried foods (potato chips, French fries, hard toast, and popcorn).

### **Are there activity restrictions after surgery?**

- Rest with limited activity at home for 24-72 hours.
- Avoid lifting (greater than 10 pounds), straining, or vigorous activities. You may return to work/school in generally after 1 to 2 days.

### **How do I manage pain after surgery?**

- You will receive prescriptions for pain medications, possibly antibiotics and medications for nausea if needed.
- Take pain medication as prescribed every 4-6 hours as needed. Eating will be easier one-half hour after taking pain medication.
- Do not take aspirin, aspirin products, or nsaid's for pain relief as this may increase your risk of bleeding such as Motrin, Aleve, or naproxen.

### **What follow-up care will I receive?**

- Pathology results can take between 3-7 days to obtain.
- You will be given an appointment to return to clinic for a post-operative check before you are discharged from the hospital. This will usually be about one week after surgery.
- Bring any questions you have to this appointment. If you are unable to keep the appointment, please be sure to call and reschedule.

### **When should I call my doctor?**

- If you have chest pain, lightheadedness within the first 48 hours or upon standing.
- If you have difficulty breathing inability to swallow.
- If you have persistent vomiting.
- If you have progressive low neck pain.

- If you have an oral temperature over 100.5 degrees. Check to make sure they are getting enough liquids. Dehydration can cause the body temperature to rise.

### **Who should I call if I have questions?**

- (734) 936-5950, Monday - Friday, 8 a.m. - 4:30 p.m.
- After hours and on weekends, call Hospital Paging at (734) 936-6267 and ask for the Oral & Maxillofacial Surgeon on call.

Disclaimer: This document contains information and/or instructional materials developed by the University of Michigan Health System (UMHS) for the typical patient with your condition. It may include links to online content that was not created by UMHS and for which UMHS does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Author: Erin Larowe  
Reviewers: James Murphy, MD

Patient Education by [University of Michigan Health System](#) is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License](#). Last Revised 3/2016